

Glossary

On this page, all articles in the documentation which are tagged with the keyword "glossary" are listed. The glossary should contain articles, which describes elements of CONTENIDO.

- [Action](#) — An **action** is a name for a certain task that should be performed when requesting a page in the CONTENIDO backend.
- [Area](#) — An **area** is a name for a set of scripts that should be executed when a certain subnavigation item is clicked.
- [Article](#) — An **article** is actually the page of the website.
- [Article](#) — An **article** is actually the page of the website and belongs to one client.
- [Category](#) — A **category** is the logical division of the website and belongs to one client.
- [Category](#) — A **category** is the logical division of the website.
- [Category tree](#) — The **category tree** is a hierarchic definition of [categories](#) and its children in a [Client](#).
- [Chain](#) — A **chain** is a registered hook in the code, which executes external callbacks with a given amount of parameters to affect the systems behaviour.
- [Client](#) — A **client** represents a complete web page in the system. Client is a systemwide ressource.
- [Container](#) — A **container** is a markup element in a [layout](#). It serves as a placeholder for a [module](#) that can be inserted using a [template](#). Container is a systemwide ressource.
- [Content type](#) — A **content type** in CONTENIDO is a place where authors can enter or select data to be displayed in the frontend.
- [Cronjob](#) — A **cronjob** is a script that will be executed by cron, a time-based job scheduler in Unix-like operating systems. This features allows you to execute system calls in regular intervals for example checking your emails every 5 minutes.
- [Frame](#) — The CONTENIDO backend is divided into several **frames**.
- [Layout](#) — **Layouts** contain the whole static (X)HTML markup of a clients frontend page.
- [Module](#) — A **module** is the most essential component of the frontend. It contains all logic to display editable or static content on the web page. Module is a client ressource.
- [Module translation](#) — With a **module translation** you can translate certain parts of your [module](#) for all existing frontend languages.
- [Navigation](#) — The **navigation** consists of the main- and subnavigation.
- [Plugin](#) — A **plugin** is a separate package with additional functionality for CONTENIDO which mostly is added to the backend. Plugins are systemwide ressources.
- [Plugin manager](#) — The **plugin manager** is a new web interface in the backend to easily manage, install and activate [plugins](#) to extend the functionality of CONTENIDO.
- [Property](#) — **Properties** allow to store simple values that can be used e.g. for configuring the behaviour of [modules](#), [plugins](#) or even the core. Property is a client ressource.
- [Template](#) — A **template** connects the dynamic output of [Modules](#) with the whole markup located in the [layouts](#) by using their [containers](#). Template is a client ressource.