

Database structure

On this page the entire database structure of CONTENIDO is explained. Usually, a MySQL database is used to store all required information. By clicking on the name of a specific database table you can get more information about it.

Database structure of the latest version



Third party plugins may add or change database tables. Their database tables and changes are not listed in this documentation. Please have a look for the plugins documentation in that cases.



Usually, all database tables begin with the prefix `con_`. This prefix can be set during installation.

Name of database table	Name of corresponding ItemCollection class	Name of corresponding Item class
actionlog	cApiActionLogCollection	cApiActionLog
actions	cApiActionCollection	cApiAction
area	cApiAreaCollection	cApiArea
art	cApiArticleCollection	cApiArticle
art_lang	cApiArticleLanguageCollection	cApiArticleLanguage
art_spec	cApiArticleSpecificationCollection	cApiArticleSpecification
cat	cApiCategoryCollection	cApiCategory
cat_art	cApiCategoryArticleCollection	cApiCategoryArticle
cat_lang	cApiCategoryLanguageCollection	cApiCategoryLanguage
cat_tree	cApiCategoryTreeCollection	cApiCategoryTree
clients	cApiClientCollection	cApiClient
clients_lang	cApiClientLanguageCollection	cApiClientLanguage
communications	cApiCommunicationCollection	cApiCommunication
container	cApiContainerCollection	cApiContainer
container_conf	cApiContainerConfigurationCollection	cApiContainerConfiguration
content	cApiContentCollection	cApiContent
dbfs	cApiDbfsCollection	cApiDbfs
files	cApiFileCollection	cApiFile
file_information	cApiFileInformationCollection	cApiFileInformation
frame_files	cApiFrameFileCollection	cApiFrameFile
frontendgroupmembers	cApiFrontendGroupMemberCollection	cApiFrontendGroupMember
frontendgroups	cApiFrontendGroupCollection	cApiFrontendGroup
frontendpermissions	cApiFrontendPermissionCollection	cApiFrontendPermission
frontendusers	cApiFrontendUserCollection	cApiFrontendUser
groupmembers	cApiGroupMemberCollection	cApiGroupMember
groups	cApiGroupCollection	cApiGroup
group_prop	cApiGroupPropertyCollection	cApiGroupProperty
inuse	cApiInuseCollection	cApiInuse
iso_639_2	cApiIso6392Collection	cApiIso6392
iso_3166	cApiIso3166Collection	cApiIso3166

keywords	cApiKeyWordCollection	cApiKeyWord
lang	cApiLanguageCollection	cApiLanguage
lay	cApiLayoutCollection	cApiLayout
mail_log	cApiMailLogCollection	cApiMailLog
mail_log_success	cApiMailLogSuccessCollection	cApiMailLogSuccess
meta_tag	cApiMetaTagCollection	cApiMetaTag
meta_type	cApiMetaTypeCollection	cApiMetaType
mod	cApiModuleCollection	cApiModule
nav_main	cApiNavMainCollection	cApiNavMain
nav_sub	cApiNavSubCollection	cApiNavSub
online_user	cApiOnlineUserCollection	cApiOnlineUser
properties	cApiPropertyCollection	cApiProperty
rights	cApiRightCollection	cApiRight
search_tracking	cApiSearchTrackingCollection	cApiSearchTracking
stat	cApiStatCollection	cApiStat
stat_archive	-	-
system_prop	cApiSystemPropertyCollection	cApiSystemProperty
template	cApiTemplateCollection	cApiTemplate
template_conf	cApiTemplateConfigurationCollection	cApiTemplateConfiguration
type	cApiTypeCollection	cApiType
upl	cApiUploadCollection	cApiUpload
upl_meta	cApiUploadMetaCollection	cApiUploadMeta
user	cApiUserCollection	cApiUser
user_prop	cApiUserPropertyCollection	cApiUserProperty

Previous changes to database structure

In the past database tables were changed or removed. This table lists all changes (adding a new table excluded) made to the database structure. The change of single table fields are available in the specific database table detail page in this documentation.

Name of database table	Explanation of modification	Changes made in
mod_translations	The table was removed.	4.9.0 RC 1
code	The table was removed.	4.9.0 RC 1
chartable	The table was removed.	4.9.0 RC 1
phplib_auth_user_md5	The table was renamed to user.	4.9.0 Beta 1
news	The table was renamed to pi_news	4.9.0 Beta 1
news_groupmembers	The table was renamed to pi_news_groupmembers	4.9.0 Beta 1
news_groups	The table was renamed to pi_news_groups	4.9.0 Beta 1
news_jobs	The table was renamed to pi_news_jobs	4.9.0 Beta 1
news_log	The table was renamed to pi_news_log	4.9.0 Beta 1
news_rcp	The table was renamed to pi_news_rcp	4.9.0 Beta 1
phplib_active_sessions	The table was removed.	4.9.0 Alpha 3
config	The table was removed.	4.9.0 Alpha 2

client_config	The table was removed.	4.9.0 Alpha 2
data	The table was removed.	4.9.0 Alpha 2
link	The table was removed.	4.9.0 Alpha 2
status	The table was removed.	4.9.0 Alpha 2
sequence	The table was removed.	4.9.0 Alpha 1