



System requirements

 This page is related to CONTENIDO 4.9. Previous versions of CONTENIDO may have other system requirements or - for example - can not or only partly be used with other PHP versions. Also for older CONTENIDO versions you can look at [version matrix](#) for required PHP and MySQL version.

In order to use CONTENIDO with full functionality and without problems, there are several requirements that your system must fulfill.

PHP version

Version	Description
< 5.2.3	Won't work.
5.2.3 up to 5.3	Works with 4.9, 4.9.1, 4.9.2 and 4.9.3 <div style="border: 1px solid yellow; padding: 5px; margin: 10px 0;"> Since CONTENIDO 4.9.4 PHP 5.3 or newer is required!</div>
> 5.3	Works fine with every 4.9.x version of CONTENIDO

PHP settings

Setting	Value	Description
file_uploads	"1"	You can't upload files using CONTENIDO's file manager unless you configure PHP for file uploads. See http://www.php.net/manual/en/ini.core.php#ini.file-uploads for more information.
magic_quotes_runtime	Off	CONTENIDO has been developed to comply with magic_quotes_runtime=Off and magic_quotes_sybase=Off as these are the PHP default settings.
magic_quotes_sybase		
max_execution_time	>=30	Configuring PHP for a maximum execution time of less than 30 seconds could cause problems with slow web servers and/or long operations in the backend. Our recommended execution time is 120 seconds on slow web servers, 60 seconds for medium ones and 30 seconds for fast web servers.
memory_limit	>=32MB	CONTENIDO requires at least 32 MB memory to operate correctly. We recommend to disable this setting completely, as this can cause problems with large CONTENIDO projects.
open_basedir		open_basedir directive doesn't enforce any restrictions The directive open_basedir is set to '.' (e.g. current directory). This means that CONTENIDO is unable to access files in a logical upper level in the filesystem. This will cause problems managing the CONTENIDO frontends. Either add the full path of this CONTENIDO installation to the open_basedir directive, or turn it off completely. Setup believes that the PHP directive open_basedir is configured sufficient, however, if you encounter errors like 'open_basedir restriction in effect. File <filename> is not within the allowed path(s): <path>', you have to adjust the open_basedir directive Setup has checked your PHP open_basedir directive and reckons that it is not sufficient. Please change the directive to include the CONTENIDO installation or turn it off completely.
sql.safe_mode	Off	Enabling sql.safe_mode may cause problems with the SQL queries issued by CONTENIDO, so better turn it off.

PHP extensions

Extension	Description
gd	Some third-party modules rely on the GD functionality. If you don't enable the GD extension, you will encounter problems with modules like galleries.
pcre	CONTENIDO uses PCRE-functions like preg_replace and preg_match and won't work without the PCRE extension.

xml	CONTENTIDO won't work without the XML extension.
mbstring	Since version 4.9.4, CONTENTIDO additionally requires the mbstring extension to work.

PHP classes

Class	Extension	Description
ZipArchive	zip	This class is used for module export. If it is missing, CONTENTIDO still is able to run.
DOMDocument	xml	Various classes regarding XML files use this class. CONTENTIDO won't work without it.

PHP functions

CONTENTIDO requires a set of functions that are essential but sometimes disabled either by using certain flags, when compiling the PHP interpreter, or by disabling functions in the PHP configuration file `php.ini` via the `disable_functions` directive.

Function	Extension	Description
escapeshellarg		These functions are required to test if the CLI program <code>convert</code> , which is part of ImageMagick, is available.
exec		
iconv	iconv	CONTENTIDO won't work without the iconv function. PHP has probably been compiled with the <code>--without-iconv</code> parameter.
imagecreate	gd	This function is required to resize images when the ImageMagick program is not used.
imagecreatefromgif	gd	When GD lib is activated, it can support various image types. In order to resize or scale certain images, the image support (and therefore the corresponding function) must be available. If these functions are not available, ImageMagick can be used. It could lead to problems, if neither GD nor ImageMagick are installed.
imagegif	gd	
imagecreatefromjpeg	gd	
imagejpeg	gd	
imagecreatefrompng	gd	
imagepng	gd	
xml_parser_create	xml	

Other programs

Program	Description
MySQL	MySQL is the database system of CONTENTIDO. Also it must not run in strict mode as this can cause some problems.
ImageMagick	ImageMagick is only needed if the GD lib extension is not available.

Filesystem

CONTENTIDO requires to have write permissions in order to write some files.

These system folders and files need write permissions:

- `ROOT/data/logs/errorlog.txt`
- `ROOT/data/logs/setuplog.txt`
- `ROOT/data/logs/deprecatedlog.txt`
- `ROOT/data/logs/exception.txt`
- `ROOT/data/cronlog/pseudo-cron.log`
- `ROOT/data/cronlog/session_cleanup.php.job`
- `ROOT/data/cronlog/send_reminder.php.job`
- `ROOT/data/cronlog/optimize_database.php.job`
- `ROOT/data/cronlog/move_old_stats.php.job`

- **ROOT/data/cronlog/move_articles.php.job**
- **ROOT/data/cronlog/linkchecker.php.job**
- **ROOT/data/cronlog/run_newsletter_job.php.job**
- **ROOT/data/cronlog/setfrontenduserstate.php.job**
- **ROOT/data/cronlog/advance_workflow.php.job**
- **ROOT/data/cache**
- **ROOT/data/temp**
- **ROOT/data/config/config.php**



It might be the best to enable write permissions for the whole data/ folder.

These client folders need write permissions:

- **ROOT/cms/cache**
- **ROOT/cms/cache/code**
- **ROOT/cms/css**
- **ROOT/cms/data**
- **ROOT/cms/data/layouts**
- **ROOT/cms/data/logs**
- **ROOT/cms/data/modules**
- **ROOT/cms/data/version**
- **ROOT/cms/data/version/css**
- **ROOT/cms/data/version/js**
- **ROOT/cms/data/version/layout**
- **ROOT/cms/data/version/module**
- **ROOT/cms/data/version/templates**
- **ROOT/cms/js**
- **ROOT/cms/templates**
- **ROOT/cms/upload**