

# Test plan 4.10.0

- Installation
  - New installation with example client
  - New installation without example client
- Updates
- MyCONTENIDO
- General Tests
  - Content Articles
  - Content Category Overview
  - Content File manager
  - Content Translations
  - Content Linkchecker
  - Style Layouts
  - Style Modules
  - Style Templates
  - Style CSS
  - Style JavaScript
  - Style HTML
  - Statistics Search Terms
  - Administration Users
  - Administration Groups
  - Administration Languages
  - Administration Clients
  - Administration Logs
  - Administration System
  - Administration Frontend
  - Administration Plugin Manager
- Content Types
  - CMS\_HTMLHEAD
  - CMS\_HTML
  - CMS\_TEXT
  - CMS\_HEAD
  - CMS\_DATE
  - CMS\_TEASER
  - CMS\_FILELIST
  - CMS\_IMG / CMS\_IMGDESCR / CMS\_IMGEDITOR
  - CMS\_LINK / CMS\_LINKTARGET / CMS\_LINKDESCR / CMS\_LINKEDITOR

## Installation

Install CONTENIDO with the help of the [official installation guide](#). Comply exactly with this guide, so we can detect errors in it.

General tests after a new installation:

- Does the installation work properly?
- Can you login with the chosen password?

## New installation with example client

- Does the example client contain [all example resources](#)?
- Does the example client render correctly in your browser?

## New installation without example client

- Create a new client
- Create a new language for the client
- Create a new category
- Upload files

## Updates

Update CONTENIDO with help of the [official upgrade guide](#). Follow the instructions to the letter so that we can find errors in it.

Try upgrading from the latest version of the 4.8 branch AND from the latest version of the 4.9 branch.

General tests after upgrade:

- Are all pre-existing resources still available? (Modules with translations, layouts, templates, categories, articles, language, clients)
- Did the upgrade process run all upgraded jobs?

## MyCONTENIDO

- Activate update notifier and check if RSS feeds and version check information are loaded and displayed

## General Tests

Please try to perform the following actions and check if they behave like expected for the backend and frontend

### Content Articles

Type	Backend	Frontend	Comment
Overview: Create article	✔ Marcus Gnaß		
Overview: Set as start article	✔ Marcus Gnaß		
Overview: Set article online/offline	✔ Marcus Gnaß		
Overview: Freeze/Unfreeze article			❓ What should happen w/ a frozen article? Der User, der keine Berechtigung hat, darf den Artikel nichts ändern.
Overview: Duplicate article	✔ Marcus Gnaß		
Properties: Set as start article	✔ Marcus Gnaß		
Properties: Set article online/offline	✔ Marcus Gnaß		
Configuration: Change template	✔ Marcus Gnaß		
Edit article (please see <a href="#">Content Types</a> )			
Edit article with activated TinyMCE4	✔ Frederic Schneider		
Edit article properties	❓ Marcus Gnaß		❓ Where can this be done?
List content entries	✔ Marcus Gnaß		❓ In "Raw data"?
Edit content list entry	✔ Marcus Gnaß		
Delete content list entry	✔ Marcus Gnaß		
Delete article	✔ Marcus Gnaß		
Edit category   Template			
Edit category   Configure category	✔ Marcus Gnaß		
Edit category   Online / Offline	✔ Marcus Gnaß		
Edit category   Lock / Unlock	✔ Marcus Gnaß		
Synchronize article			
Synchronize category			

### Content Category Overview

Type	Backend	Frontend	Comment
Create new category <ul style="list-style-type: none"> <li>▪ Category is a tree</li> <li>▪ Category is not a tree</li> </ul>	✔ Marcus Gnaß		
Edit category <ul style="list-style-type: none"> <li>▪ Categoryname</li> <li>▪ Alias</li> <li>▪ Configure</li> </ul>	✔ Marcus Gnaß		
Set category online/offline	✔ Marcus Gnaß		
Protect category	✔ Marcus Gnaß		
Move category up	✔ Marcus Gnaß		
Move category	✔ Marcus Gnaß		
Move category down	✔ Marcus Gnaß		

Duplicate category	✓ Marcus Gnaß		
Frontend access	? Marcus Gnaß		
Delete category	✓ Marcus Gnaß		

## Content File manager

Type	Backend	Frontend	Comment
Create directory	✓ Marcus Gnaß		
Upload files	✓ Marcus Gnaß		⚠ navi is not updated after upload of file
Modify file	? Marcus Gnaß		? Where can this be done?
Replace file	✓ Frederic Schneider		
Multidelete files	✓ Marcus Gnaß		
Delete files	? Marcus Gnaß		? How to delete a file w/o "Multidelete"?
Remove directory	✓ Marcus Gnaß		

## Content Translations

Type	Backend	Frontend	Comment
View translations	✓ Marcus Gnaß		
Edit translations	✓ Marcus Gnaß		

## Content Linkchecker

Type	Backend	Frontend	Comment

## Style Layouts

Type	Backend	Frontend	Comment
Create layout	✓ Marcus Gnaß		
Modify layout	✓ Marcus Gnaß		
Synchronize layouts	✓ Marcus Gnaß		takes to long .. same problem as w/ modules?
Delete layout	✓ Marcus Gnaß		

## Style Modules

Type	Backend	Frontend	Comment
Create module	✓ Marcus Gnaß		Freshly created modules are not synchronized?
Edit module (please see <a href="#">Content Types</a> )	✗ Marcus Gnaß		<div style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px;"> <span style="color: #007bff;">CON-2751</span> - Getting issue details... <span style="border: 1px solid #ccc; padding: 2px 5px;">STATUS</span> </div> <p>⚠ After selecting a module the navigation area is updated and the selection is lost.</p>
Synchronize modules	✓ Marcus Gnaß		
Manage history	✓ Marcus Gnaß		
Truncate history	✓ Marcus Gnaß		
Translate modules	✓ Marcus Gnaß		
Delete module	✓ Marcus Gnaß		

## Style Templates

Type	Backend	Frontend	Comment
Create template	✔ Marcus Gnaß		
Edit template (please see <a href="#">Content Types</a> )	✔ Marcus Gnaß		
Duplicate template	✔ Marcus Gnaß		
Visual edit	✔ Marcus Gnaß		
Delete template	✔ Marcus Gnaß		

## Style CSS

Type	Backend	Frontend	Comment
Create CSS	✔ Marcus Gnaß		
Modify CSS	✔ Marcus Gnaß		
Truncate history	✔ Marcus Gnaß		
Delete CSS	✔ Marcus Gnaß		

## Style JavaScript

Type	Backend	Frontend	Comment
Create script	✔ Marcus Gnaß		
Edit script	✔ Marcus Gnaß		
Manage history	✔ Marcus Gnaß		
Truncate history	✔ Marcus Gnaß		
Delete script	✔ Marcus Gnaß		

## Style HTML

Type	Backend	Frontend	Comment
Create HTML template	✔ Marcus Gnaß		
Modify HTML template	✔ Marcus Gnaß		
Manage history	✔ Marcus Gnaß		
Truncate history	✔ Marcus Gnaß		
Delete HTML template	✔ Marcus Gnaß		

## Statistics Search Terms

Type	Backend	Frontend	Comment
Create search terms (with umlauts)	✔ Marcus Gnaß		

## Administration Users

Type	Backend	Frontend	Comment
Create User			
Edit user			
Set user rights			
Delete user			

## Administration Groups

Type	Backend	Frontend	Comment
Create group			
Edit group			
Add group members			
Delete group members			
Set group rights			
Delete group			

## Administration Languages

Type	Backend	Frontend	Comment
Create language	✔ Marcus Gnaß		
Edit language	✔ Marcus Gnaß		
Activate language	✔ Marcus Gnaß		
Deactive language	✔ Marcus Gnaß		
Delete language	✔ Marcus Gnaß		

## Administration Clients

Type	Backend	Frontend	Comment
Create client	✔ Marcus Gnaß		
Edit client	✔ Marcus Gnaß		
Create/Edit article specifications	✔ Marcus Gnaß		
Delete article specifications	✔ Marcus Gnaß		
Define default article specification	✔ Marcus Gnaß		
Save client setting	✔ Marcus Gnaß		
Delete client setting	✔ Marcus Gnaß		⚠ No confirmation!
Edit client setting	✔ Marcus Gnaß		
Remove client	✔ Marcus Gnaß		⚠ Client folder wil not be deleted!

## Administration Logs

Type	Backend	Frontend	Comment
Show log	✔ Marcus Gnaß		

## Administration System

Type	Backend	Frontend	Comment
Variablen			
Konfigura tion			
Experten einstellun gen			
Bereinigu ng			

Integrität	✘ Marcus Gnaß		<pre>[10-Dec-2018 15:09:04 UTC] PHP Warning: Use of undefined constant CON_SETUP_MIN_PHP_VERSION - assumed 'CON_SETUP_MIN_PHP_VERSION' (this will throw an Error in a future version of PHP) in /var/www/contentido/contentido/classes/class.systemtest.php on line 783 [10-Dec-2018 15:09:04 UTC] PHP Stack trace: [10-Dec-2018 15:09:04 UTC] PHP 1. {main}() /var/www/contentido/contentido/main.php:0 [10-Dec-2018 15:09:04 UTC] PHP 2. include_once() /var/www/contentido/contentido/main.php:204 [10-Dec-2018 15:09:04 UTC] PHP 3. cSystemtest-&gt;runTests() /var/www/contentido/contentido/includes/include.system_integrity.php:20 [10-Dec-2018 15:09:04 UTC] PHP 4. cSystemtest-&gt;testPHPVersion() /var/www/contentido/contentido/classes/class.systemtest.php:283</pre>
WYSIWYG			

## Administration Frontend

Type	Backend	Frontend	Comment
Create frontend user			
Save frontend user			
Add frontend user assignment			
Delete fronted user assignment			
Create frontend group			
Save frontend group			
Delete frontend group			
Delete frontend user			

## Administration Plugin Manager

Type	Backend	Frontend	Comment
Run Plugin Manager	✓ Frederic Schneider		
Install plugin	✓ Frederic Schneider		
Delete plugin	✓ Frederic Schneider		

## Content Types

All content types need to be tested. This requires them to be used in a module which is assignend to a template and edited in an article.

1. **CMS\_HTMLHEAD**
  - a. Input of HTML text should print HTML
2. **CMS\_HTML**
  - a. Input of HTML text should print HTML
  - b. Create a new link to another CONTENIDO article (Should set a correct path in TinyMCE)
  - c. Embed an image from the file manager
3. **CMS\_TEXT**
  - a. Input of HTML text should print HTML plain
  - b. Input of text with paragraphs should print text with line breaks
4. **CMS\_HEAD**
  - a. Input of HTML text should print HTML plain
  - b. Input of text with paragraphs should print text with line breaks
5. **CMS\_DATE**
  - a. Current date should be highlighted
  - b. "Now" should select the current date and time
  - c. Choosing a date and time should display the selected date with the right format in the input field.
  - d. Saving with the green check mark should print the formatted date in the article.
  - e. Changing the format should update the displayed date in the article.
6. **CMS\_TEASER**
  - a. Display of configuration dialog
    - i. ✘ width of labels is to wide in FF 61.0.1 (Marcus Gnaß)
  - b. Automatic:
    - i. Headlines with umlauts should print at the selected template place
    - ii. Change the sort order of the teaser
  - c. Manual teaser:
    - i. Select articles from different categories
  - d. Settings:
    - i. Change the display style of the teaser
    - ii. Image scale: "Cut" should display different sections
    - iii. Change the content types to display different content in the teaser

## 7. CMS\_FILELIST

- a. Directories:
  - i. Select more than one directory
- b. General
  - i. Try using headlines with umlauts
  - ii. Changing the sort order and sorting criteria
  - iii. Files from sub directories of the selected ones should be displayed if the checkbox is checked
  - iv. Meta data should be loaded and shortened if the checkbox is checked
- c. Filter:
  - i. Filter files with file extensions and file sizes
- d. Manual:
  - i. Select files to be included manually. Directories from the first tab should be ignored.

## 8. CMS\_IMG / CMS\_IMGDESCR / CMS\_IMGEDITOR

- a. Directories:
  - i. Selecting a directory should display images on the right
  - ii. Selecting sub directories should display images
- b. Meta:
  - i. Selecting a file should display its path and meta information
- c. Upload:
  - i. Create a new directory with new files. Selection should preview the image
  - ii. Upload new files in the main directory
  - iii. Upload new files in a sub directory
  - iv. Selecting an existing file should display a preview
- d. Save image with the green check mark. It should be displayed in the article

## 9. CMS\_LINK / CMS\_LINKTARGET / CMS\_LINKDESCR / CMS\_LINKEDITOR

- a. Checking "New window" should set LINKTARGET to display in a new window
- b. Changing the title should be reflected in LINKDESCR
- c. External:
  - i. External links should link to external websites
- d. Internal:
  - i. Internal links should be SEO optimized or contain a front\_content.php link
- e. Link to a file:
  - i. Create new directories with new files. Selecting should link to that file
  - ii. Upload new files to the main directory
  - iii. Upload new files to a sub directory
  - iv. Selecting an existing file should link to it
- f. Save content with green check mark